

Steam Flaking Rate of STPH	Grain Retention Time (minutes) in Steam Chamber															
	omegaten.com															
	Steam Chamber Size in CUBIC FEET															
	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600
4	34	68	101	135	169	203	236	270	304	338	371	405	439	473	506	540
6	23	45	68	90	113	135	158	180	203	225	248	270	293	315	338	360
8	17	34	51	68	84	101	118	135	152	169	186	203	219	236	253	270
10	14	27	41	54	68	81	95	108	122	135	149	162	176	189	203	216
12	11	23	34	45	56	68	79	90	101	113	124	135	146	158	169	180
14	10	19	29	39	48	58	68	77	87	96	106	116	125	135	145	154
16	8	17	25	34	42	51	59	68	76	84	93	101	110	118	127	135
18	8	15	23	30	38	45	53	60	68	75	83	90	98	105	113	120
20	7	14	20	27	34	41	47	54	61	68	74	81	88	95	101	108
22	6	12	18	25	31	37	43	49	55	61	68	74	80	86	92	98
24	6	11	17	23	28	34	39	45	51	56	62	68	73	79	84	90
26	5	10	16	21	26	31	36	42	47	52	57	62	68	73	78	83
28	5	10	14	19	24	29	34	39	43	48	53	58	63	68	72	77
30	5	9	14	18	23	27	32	36	41	45	50	54	59	63	68	72
32	4	8	13	17	21	25	30	34	38	42	46	51	55	59	63	68
34	4	8	12	16	20	24	28	32	36	40	44	48	52	56	60	64
36	4	8	11	15	19	23	26	30	34	38	41	45	49	53	56	60
38	4	7	11	14	18	21	25	28	32	36	39	43	46	50	53	57
40	3	7	10	14	17	20	24	27	30	34	37	41	44	47	51	54
42	3	6	10	13	16	19	23	26	29	32	35	39	42	45	48	51
44	3	6	9	12	15	18	21	25	28	31	34	37	40	43	46	49
46	3	6	9	12	15	18	21	23	26	29	32	35	38	41	44	47
48	3	6	8	11	14	17	20	23	25	28	31	34	37	39	42	45
50	3	5	8	11	14	16	19	22	24	27	30	32	35	38	41	43
52	3	5	8	10	13	16	18	21	23	26	29	31	34	36	39	42

Black Values at Top Right are Minimum Recommended Retention Times